

Winter warming in the Arctic from mid-latitude particulates

Tim Garrett

Department of Meteorology
University of Utah
tgarrett@met.utah.edu








SYR - FIGURE 2-2







SYR - FIGURE 2-2



Aerosol indirect effect in the Arctic 3.3 to 5.5 W m⁻² when polluted and cloudy












The forcing from this particulate pollution effect 3.3 to 5.5 W m⁻² when polluted and cloudy





Where work is needed

- We have identified a sensitivity in the Arctic climate system
- Model studies are required to evaluate the effects





Current climate models cannot reproduce the described effect. The effect applies to very thin Arctic clouds. Climate models cannot easily create clouds this thin.

What is the history?



Adolf Erik Nordenskjold 1876 in Greenland:

"The sky was covered with a thin veil of clouds, through which the sun shone warmly, at times even scorchingly. From time to time this veil of clouds, or haze, descended to the surface of the ice, and hid the view over the expanse; but it was, remarkably enough, not wet, but *dry*, -- yes, so dry that our wet clothes absolutely dried in it."

REPORT

OF THE

INTERNATIONAL POLAR EXPEDITION

то

POINT BARROW, ALASKA,

IN RESPONSE TO

THE RESOLUTION OF THE HOUSE OF REPRESENTATIVES OF DECEMBER 11, 1884.

WASHINGTON: GOVERNMENT PRINTING OFFICE 1885.


EXPEDITION TO POINT BARROW, ALASKA.

Statement showing the amount, kind, and direction of clouds, and amount and

[Washington mean time. Correction reduced to mean local time, - 5 hours, 17 minutes. Precipitation is given in inches. In this

i	1 s. m.	2 s. m.		3 a. m.		4 a. m.		5 a. m.		6 s. m.	
Date.	Amount, kind, and direction of clouds.	Amount, kind, and direction of clouds.	Precipitation.	Amount, kind, and direction of clouds.	Precipitation.	Amount, kind, and direction of clouds.	Precipitation.	Amount, kind, and direction of clouds.	Precipitation.	Amount, kind and direction of clouds.	Precipitation.
1883. Feb. 1 Feb. 2 Feb. 3 Feb. 4	9 st. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 D. haze. 9 at. (00	3 st. 0 D. haze. 9 nim. 0 D. haz. 7 st. D. haz. 0 10 st. 0	00 00 00	Lt. haz. 3 st. 6 1), haz. 7 st. 1), haz. 0 1), haz. 8 st. D. haz. 0 10 st. 0	00 00	Lt. haze. 1 st. 0 D. haze. D. haze 0 Lt. haze. 1 st. 0 Lt. haze. 5 st. 0	00 00 00	0 D. haze. D. haze. 0 0 Lt. haze. 4 at. 0	60
Feb. 5 Feb. 6 Feb. 7 Feb. 8 Feb. 9	10 nim. 0 . 0	02 10 nim. (6 10 st. (7 10 st. (90 D) haz. 5 st. D. haz. (90 D)	00	19 nim. 0 10 st. 0 10 st. 0 D. haz. 3 st. D. haz. 0 10 nim. 0	00 00 00 00	10 st. 0	.03 00 00 00		.01 00 00 00	10 nim. 0 10 st. 0 10 st. 0 0 0 10 nim. 0	00 00
Feb. 10 Feb. 11 Feb. 12 Feb. 13 Feb. 14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	01 4 cir. st. 3 st. (00	lat. 0	66 66 00 01	0 0	.01	10 st. 0 0 0 0 0 D. baze. 9 nim. 0 1 st. 0 4 st. 0	00 00 .—	10 st. 0 0 0 10 nim. 0 2 st. 0 1 st. 0	00
Feb. 15 Feb. 16 Feb. 17 Feb. 18 Feb. 19	10 st. 0 (D. haz. 8 st. D. haz. 0 (00 : 1 cir. st. 1 st. 0 00 : 10 st. 0 00 : D. hag. 9 st. D. hag. 0	00 00 00 00 00 00	D. haz. 4 st. D. haz. 0	00 00 00	3 cum. 5 st. 0 1 cir. st. 7 st. NW.* 1 cir. st. 4 st. 0 10 st. 0 D. haze. 9 st. 0	00 00 00 00	1 cum, 9 st. 0 2 cir. st. 5 st. 0 2 cir. cum. 2 st. 0 10 st. 0 Lt. haze, 8 st. 0	00 00 00 00 00	10 st. 0 1 cir. st. 3 st. 0 5 cum. 4 st. 0 10 st. 0 2 st. 0	
Feb. 20 Feb. 21 Feb. 22 Feb. 23 Feb. 24		00 6 st. S. — 1 cir. st. 6 06 1 cir. st. 1 st.	1 00 1 00 0 00 3 00 0 00	10 st. NW. f 1 cir. 1 cir. st. 5 st. S. f 1 cir. st. 0 1 cir. st. 1 st. 0 1 cir. st. 0	00	10 st. NW.t 1 cir. 2 cir. st. 3 st. 0 1 st. 0 1 cir. st. 0 0	60 60 60 00 60	10 st. NW.f 2 cir. 2 cir. st. 3 st. 0 0 U.t. haze. 0 0 0	00	10 st. 0 5 cir. st. 2 st. 0 0 D. haze. D. haze. 0 0	60 60 60
Feb. 25 Feb. 26 Feb. 27 Feb. 28	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 0 (00 D. haz. 4 st. D. haz. 0	00 00	1 cir. st. 0 0 0 Lt. baz. 3 st. 0 10 st. 0	MA	Lt. haz. 2st. D. haz. 0 D. haz. 8st. D. haz. 0	00 00 00 00		00 00 00		60
***	5. 92	6.64		6.11		5. 82		4. 42	i	4. 67	
Date.	1 p. m.	2 p. m.		\$ p. m.		4 p. m.		5 p. m.		6 p. m	
1883. Feb. 1 Feb. 2 Feb. 3 Feb. 4	Dense haze, 5 st. 0	θύ - 10 st. (0 00 0 00 0 00	1 st. 0 1 cir. 5 st. SW t 10 nim. e 1 cir. cum. 7 st. SW.		Leir. 7 st. SW. t.	. 01	0 1 ci.5at. SW. (D. fog. 4 cir. 5 at. SW.* 5 cir. st. 3 st. SW. (00	1 st. 9 D. haze. D. fog. 0 10 st. SSW 4 cir. st. 6 st. SW.	00 00 00 1 00
Feb. 5 Feb. 6 Feb. 7 Feb. 8 Feb. 9	10 st. 0 1 st. NW.* 10 st. 0 2 st. 0 10 nim.	00 1 cir. 1 st. NW 00 10 nim. 00 4 st.	0 00 0 01 0 00 0 00	10 st. 0 1 cir. 1 st. NW.* 10 mm 0 8 st. 0 9 st. 0	00 00 01 00	2 cir. 8 9 st. W.*	00 00 01 00	5 st. W.* 10 nim. 0 9 st. 0	00 00 01 00	3 st. W. 10 nim. 0 10 st. 0	00
Feb. 10 Feb. 11 Feb. 12 Feb. 13 Feb. 14	8 st. NW.	00 0 61 10 nim 60 8 st. NW	00 00 00 00 00 1, 00 0		. 00 . 01 F. 00	9 st. W.† 1 cir. 4 st. W.†	00	10 nim. 0 5 st. W.1 1 cir. 4 st. W.4	00	10 nim. 0 1 cir. st. 4 st. 0 1 cir. 6 st. W.	00 01 00 1 00
Feb. 15 Feb. 16 Feb. 17 Feb. 18 Feb. 19	1 cm 1 st. 0 2 st. 0 10 st. 0	00 1 cir. 3 st. 00 1 st. 00 10 st.	00 00 0 00 0 00 0 00 0 00	9 st. 6 2 ctr. 2 st. 0 1 st. 0 10 st. 0	90	10 st. 0	00	10 st. 0 10 st. 0	00 00 00	7 cir. 1 st. 0 0 0 10 st. 0 10 st. 0	00 00
Feb. 20 Feb. 21 Feb. 22 Feb. 23 Feb. 24	10 st. 0 0 10 nim. 0	00 10 nim. 00 0 - 4 cir. 4 st.	00 00 0 00 0 00 0 00	1 cir. 1 st. 0 10 st. 0 2 cir. 7 st. 0 0	00	0 0	00 00	10 st. 0	00 00	4 cir. 4 st. 0 1 cir. 0	60 60 00
Feb. 25 Feb. 26 Feb. 27 Feb. 28	0 0	90 6 90 !ci.cum.4 st. SE	0 00 0 00 .f 00		00 00 00 00	1 cir. 1 st. 0 8 st. SE. 1 2 cir. 6 nim. 0	00 00 00	7 cir. 2 st. SE. 1	. 00	10 nim. 0	00
	5.57	5. 89	1	6.14		5. 92		6. 03		5. 92	1

1 a. u.		2 a. m.	3 a. m.
Dute.	Amount, kind, and direction of clouds.	Amount, kind, and direction of clouds.	Amount, kind, and direction of clouds.
1007			
1883. Feb. 1	9 st. 0 . —	10 at. 0 '	00 3 at. 0 00
Feb. 2	D. haz. 9 st. D. haz. 0 00		00 D. haze. 9 nim. 0 .—
	7 st. SW. * 00	D. haze. 9 st. 0	00 D. haz. 7 st. D. haz. 0 00
Feb. 4	D. haze. 3 st. 0 00	D. haze. 10 st. 0	00 10 st. 0 00
Feb. 5	10 nim. 0 . 03		03 19 nim. 0 . 03
Feb. 6	7 st. 0 00		00 10 st. 0 00
	D. haz. 4 st. D. haz. 0 00	10 st. 0	00 10 st. 0 00
	D. haz. 6 st. D. haz. 0 00		00 D. haz, 3 st. D. haz. 0 00
Feb. 9	10 nim. 0 . 01	10 nim. 0	01 10 nim. 0 01
Feb. 10	10 st. 0 00		00 10 st. 0 00
Feb. 11	•		00 0 0 0 0 0
_			00 D. haze. 8 nim. 0
Feb. 13			— 1 st. 0 00
Feb. 14	10 nim. 9	10 nim. NW. † .	- 10 nim. NW.†.01
Feb. 15	10 nim. W. 1	10 nim. W. tj.	10 nim. W. t
Feb. 16	0 0		00 1 cir. st. 1 st. 0 00
Feb. 17			00 D. haz. 4 st. D. haz. 0 00
Feb. 18	D. haz. 8st. D. haz. 0		00 10 st. 0 00
Feb. 19	10 st. 6 0	10 st. 0	00 10 st. 0 00
Feb. 20	9 st. NW. f 00		
Feb. 21	8 st. SSE. # 0	6 st. S. f.	00 1 cir. 1 cir. st. 5 st. S. f. 00



Questions

- Has Arctic aerosol warming been around for a long time?
- v If so, is the very recent warming not due to aerosol?

Questions

- Are changes in industrial particulate emissions independent of changes in industrial CO₂ emissions?
- Or are does one go up when the other goes down?

Summary

- Industrial particulates make Arctic clouds better "blankets" in winter. The forcing appears comparable to the carbon dioxide forcing.
- Currently, climate models do not simulate this physics. Finer vertical resolution may be needed.
- v Arctic aerosol pollution was likely high 100+ years ago. This was when industrial CO₂ Support from National Science Foundation. emissions were still low. Reference: Garrett and Zhao, Nature (2006)